

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GLOW - 50mg

Tested for: Equora Lab

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: BNL3EX7X

COA #: COA-2026-954700
Lot Number: EQL-GLW-0626
Labeled Content: 50mg
Sample Matrix: Lyophilized

Analysis Date: 07/31/2026
Appearance: Good
Volume: 3mL
Date Received: 07/17/2026

Method: Endotoxin (USP <85>), Blend Purity, Identity & Quantitation (HPLC)

Identity

GLOW


Peptide Purity

99.40%

Blend Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.40%	%	PASS
Net Blend Peptide Content	Report Only	52.21	mg	N/A
-- GHK-Cu		37.59	mg	
-- BPC-157		7.41	mg	
-- TB-4		7.20	mg	
Identity (HPLC-RTM)	GHK-CU + BPC-157 + TB-4	Confirmed	-	PASS

HPLC Chromatogram



GLOW 50mg - EQL-GLW-0626: UV Chromatogram

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.349 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products.

Notes & Methodology

- Date Tested: 07/31/2026. Methods: Blend Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be GLOW by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (GHK-Cu, BPC-157, TB-4). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
7/31/2026

COA #: COA-2026-954700
Access Code: BNL3EX7X
Verify: <portal.ils-lab.com/verify/b8PZc27puiBzoK4X>
Issued: 7/31/2026